


Come see us at

**THE AMERICAN
ASSOCIATION OF
PHARMACOLOGY SCIENTISTS
CONFERENCE**

PRSRT STD
US POSTAGE
PAID
ASHLAND, MA
PERMIT NO. 7



cell monolayers
substance transport
excised tissue

**DIFFUSION/
USING
CHAMBERS**

*the
world
standard.*

**HARVARD
NAVICYTE**

Harvard Bioscience, Inc.
84 October Hill Road
Holliston, MA 01746-9849



BUSINESS REPLY CARD

FIRST CLASS MAIL PERMIT NO. 47 HOLLISTON, MA

POSTAGE WILL BE PAID BY ADDRESSEE

HARVARD BIOSCIENCE
84 OCTOBER HILL ROAD
HOLLISTON MA 01746-9849

NO POSTAGE
NECESSARY
IF MAILED
IN THE
UNITED STATES



Harvard NaviCyte Diffusion Systems

The best results require the best system.

shouldn't you be using
the
world
standard?

TRANSPORT DRUG DELIVERY PHARMACOKINETICS METABOLIC STUDIES

- **Multi-channel (6) screening system for higher throughput**
- **Use with tissues or cultured cells**
- **Horizontal and vertical chamber configurations**

Harvard/NaviCyte diffusion/Ussing chamber systems are the patented world standard among drug transport study devices.

The chambers are designed for the study of substance transport across cultured cell monolayers or excised tissue under dynamic conditions. Optional electrodes allow for electrophysiological measurements. Our chambers are being used throughout the industry for transport, drug delivery, metabolic and pharmacokinetic studies.

Shouldn't you be using the world standard?

Receive a coupon for \$500 towards the purchase of any Voltage/Current Clamp with your NaviCyte order.

Just return the reply card today!

*Limit one coupon per customer; no substitutions.

HARVARD 800-272-2775
BIOSCIENCE www.harvardbioscience.com

- Please have a technical representative contact me.
 Please send me a Full-Line Bioscience Catalog
 in Print on CD-ROM Both

- Please remove my name from your mailing list.
 Please correct my mailing information. (see below)

Name _____

Title _____

Institution _____

Address _____

City/State/Zip _____

Phone: () _____

Fax: () _____

E-mail: _____